



**CHECKLIST #0195 FOR THE CERTIFICATION LISTING OF:
ROOFING FASTENERS and BATTEN PLATES**

A New Submittal must include:

1. A complete Product Control Application for Hourly Rate Services and checkmark the Special Services Box, and Specify: "Fastener Listing Program".
 2. A non-refundable filing fee in the form of a check with the name of the applicant printed in the check in the amount in accordance with current fee schedule (\$75.00 for a five (5) year Listing).
 3. Letter from applicant containing the following:
 - a. Specific request for Listing of the products and their specific use. (See Building Volume, Chapter 1517, of the Florida Building Code for requirements for the HVHZ areas)
 - b. Model names and dimensions of the products in the Listing Certification. (One (1) fastener model per Certification Listing)
 - c. Statement of agreement to a Random Quality Control Audit program where the listed fasteners can be acquired from a local supply house and sent to an approved lab of applicant's choice for corrosion retesting at applicant's cost.
 4. A drawing identifying specimen(s) tested.
 5. All required testing, which shall be performed by Miami-Dade County Certified laboratories. Tests should not be older than six months from time of completing the test to time of submittal.
 6. Current laboratory tests and reports in compliance with protocol TAS 301. Choose one of the tests listed below or both depending on the type of Listing desired.
 - a. Corrosion resistance in compliance with TAS 114 Appendix E, Section 2 (ASTMG 85), for salt spray for 280 hrs.(For roofing nails and tin-caps) *See notes 1 and 2
 - b. Corrosion resistance in compliance with TAS 114 Appendix E, Section 2 (ASTM G 85), for salt spray for 1000 hrs.(For roof tile nails or fasteners) *See notes 1 and 2
- *Notes: 1. Five (5) specimens minimum required per model per test.
 2. Fastener length tested qualifies +/- 0.5" length of the same diameter.

Renewal Submittal:

1. Same as items (1) and (2) above.
2. Letter from applicant containing the following:
 - a. Request to renew the Listing Service for the product and its specific use.
 - b. Statement that product has not changed.
 - c. Agreement to a Random Quality Control Audit program where the listed fasteners can be acquired from a local supply house and sent to an approved lab of applicant's choice for corrosion retesting at applicant's cost.
3. Submit new corrosion testing in keeping with the type of Listing being renewed. (Retesting is not required if the product was randomly tested and passed under the Quality Control Program within two (2) years of the renewal submittal.





**MIAMI-DADE COUNTY, FLORIDA
BUILDING AND NEIGHBORHOOD COMPLIANCE DEPARTMENT
PRODUCT CONTROL SECTION**

